

15/3/20

CP0024 THAM NAM LOT

Stn ① GPS

47P 534692 1185609

10.72517 N 99.81727 E

Book Martin Ellis

Inst Phil Collett


Ellis Data X2

CP0024

	D	A	✓	L	R	✓	D	
1-2	9/23	301/6	-29/2	①	17/35	2/83	2/83	0/89
2-3	13/13	011/6	+07/3	②	5/54	6/09	4/29	0
3-4	15/07	317/7	-00/8	③	10/27	0	1/71	1/16
4-5	13/15	311/6	+00/0	④	7/49	0	3/27	1/33
5-6	16/82	357/5	-00/9	⑤	0	4/80	3/51	1/26
6-7	15/27	330/4	+01/0	⑥	6/09	3/3 0	3/43	1/44
7-8	13/53	002/4	-00/6	⑦	0	7/01	1/59	1/20
8-9	13/00	321/4	-01/7	⑧	6/69	0	1/99	1/34
9-10	15/85	328/6	+00/6	⑨	4/18	2/91	5/85	1/39
				⑩	2/92	4/15	2/57	1/61

② THAM NAM LOT

15/3/20



Chartwell

10-11 25/65 339/9 -00/3
 11-12 8/83 327/2 -02/5
 12-13 21/05 332/4 -00/2
 12-13 16/60 341/6 -01/2
 13-14 8/79 279/6 +04/8
 Stn 12 = brown electrical insulator on

lip of undercut
 14-15 18/02 316/7 +01/1
 15-16 11/71 308/9 -00/7
 16-17 13/86 349/0 +03/4
 17-18 17/17 004/4 -01/0
 18-19 20/88 018/4 -03/4
 19-20 12/30 273/9 -02/0
 19-21 12/59 019/4 +07/3
 21-22 8/34 052/8 -02/2
 22-23 5/78 357/5 +12/9
 18-24 4/52 305/8 +37/9
 24-25 7/94 311/9 -00/9

⑪ 4/93 3/98 2/85 1/52
 ⑫ 4/04 4/76 1/76 1/40
 ⑬ 11/47 0 0/61 0/54
 ⑭ 7/03 3/84 3/60 1/07
 ⑮ 7/75 3/18 4/22 1/25
 ⑯ 3/30 7/45 3/83 0/90
 ⑰ 7/54 8/79 4/55 1/12
 ⑱ 0/63 10/05 2/2 1/24
 ⑲ 7/47 6/67 4/30 1/27
 ⑳ 2 2 1 1
 ㉑ 1/52 3/05 2/51 1/13
 ㉒ 7/13 2/58 2/02 0/99
 ㉓ 7 5 2 0
 ㉔ 11/39 8/23 1/6 1/19
 ㉕ 20/39 16/26 2/16 1/19



④ THAM NAM LOT

15/3/20

⑤ THAM NAM LOT

15/3/20

Chartwell