

11-12 small pass, right side
boulders from chamber

Tham
(Diamond Cave)

25/10/2019

Dist box = JA, Station = DA, Book = EP, Photos = MC

0 = GPS

u D L R

0-1	9.98	334.7	+30.2				
1-2	8.54	355.3	-29.1	7.3	0.68 2.54	1.3	0/1.8
2-3	15.28	28.5	-19.7	8.22	2.35	0	0.7
3-4	15.52	34.3.0	-3.4	7.34	1.13	3.38	0/2.26
4-5	12.0	00.80	+4.5	11.21	%1.21	0.31 2.0	3.32
⑤-6	10.7	51.7	+9.2	6.0	%2.75	1.5	4.2
6-7	11.68	31.2	+37.9	5.15	%1.36	3.4	4.15
7-8	9.0	79.9	+35.9	10.7	%0.56	5.0	5.4
8-9 <small>back wall</small>	3.8	60.4	+1.9	6.85	%0.9	10.0	7.0
7-10	20.62	34.0	+41.7	to high level / alcove			
⑤-11	10.61	23.8	-4.0				
11-12	5.8	355.6	-10.4	0.66	%1.57	1.83	%0.35
12-13	10.23	298.3	-1.2	1.29	%0.8	4.28	8.0
13-14	2.9	15.7	-7.2	1.09	1.25	0.25	5.72 back
14-15	12.95	312.8	+12.7	1.6	0.55	11.32	12.11
15-16	9.3	320.7	-5.0	%1.1	2.0	1.5	3.0
16-17	11.57	306.6	+5.2	2.0	1.0	3.0	0.58
17-18	12.17	339.7	+9.9	3.8	%1.55	3.5	3.27
18-19	10.0	48.1	+23.8	%0.99	1.67	0.91	2.26
19-20	9.75	85.4	+26.7	2.83	2.0	7.25	4.75
20-21	11.5	85.7	+4.7	2.9	%3.3	4.65 1.8	5.3
21-22	14.9	79.8	+15.6	10.12	%2.0	13.52	17.70

11-12 small pass, right side
boulders from chamber





At 35, bad air,
Lig lighter would
not light.
Muddy, loose slope,
to pos hol with 2
bats in it.

1 day no
normal
slope by
EE
DE

22-23								
(21)-23	13.9	130.0	+1.2					
22-24	20.17	79.9	+47.4	1.68	0	10.9	5.5	22
(21)-25	2.55	183.3	-34.7	rusty wavy stal - distinctive for a return trip				
21-26	20.83	146.8	-8.2					
26-27	11.83	194.1	-42.8	0.52	1.6	1.1	11.45	26
				edge of pitch, 30 ft to mud				

Draughting pitch

30 - 31	10.81	282.7	-32.9	0.45	0.45	0.5	0.62	30
(30)-31	3.43	107.1	+37.1	1.7	1.2	0	0.55	31
31-19	7.62	151.3	-10.9					
(32)-33	5.8	285.5	+1.7	1.2	0.2	3.7	1.4	32
32-34	6.4	91.4	+13.0					
34 - (30)	7.5	109.0	+40.6	3.5	0.9	0.3/1.4	3.4	34
26-35	2.62	216.0	-34.1	1.6	1.5	3.2	4.6/29.7	35
35 - down	9.64	185.8	-45.1					




12/10/10

0.4 x 1.4
CHAMBER

CHAMBER AT END - (7.8, 0.8, 14, 5)


balance
at end
of left
passage



- water/mud slope

		D			U	D	L	R
24 - 36	5.3	82.5	+42.9					
36 - 37	4.2	84.8	+32.2	14.3	0.25	5.6	6.4	36
37 - 38	3.5	54.6	-2.6	2.3	0.3	0.8	6	
38 - 39	2.5	14.7	12.6	1.9	0.3	1.4	0	
39 - 40	6.2	50.7	-4.8	2.8	0.5	0	10	
40 - 41	10.0	53.5	35.2	(7.3	0.8	1.4	5)	
41 - 42				1.5	0	0.5	0.5	
24 - 42	27.35 25.60	273.5	-1.5					


R L D U



bad air
out end
of left
passage

CHAMBER AT 0.20 - (7.8, 0.8, 14, 3)

CHAMBER
0.4 x 1.4



3.2